

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|--|------------------|---------|------------------|
| S1 | 2 | (("5818603") or ("5864559")).PN. | US-PGPUB; USPAT | OR | OFF | 2007/03/12 18:38 |
| S2 | 1 | ("6718415").PN. | US-PGPUB; USPAT | OR | OFF | 2006/09/05 18:28 |
| S3 | 29170 | (multiple backup) with protocol | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 17:44 |
| S4 | 286 | (multiple and backup) with protocol | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/12 18:48 |
| S5 | 160 | secondary adj protocol | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 17:48 |
| S6 | 1 | ("6212160").PN. | US-PGPUB; USPAT | OR | OFF | 2006/09/05 18:28 |
| S7 | 193 | motoyama.in. and protocol | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/12 16:43 |
| S8 | 1 | ("5819110").PN. | US-PGPUB; USPAT | OR | OFF | 2007/03/12 17:30 |
| S9 | 7896 | select\$4 with application with communication | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/12 17:34 |
| S10 | 1 | ("5546584").PN. | US-PGPUB; USPAT | OR | OFF | 2007/03/13 14:20 |
| S11 | 1 | ("6792337").PN. | US-PGPUB; USPAT | OR | OFF | 2007/03/12 18:08 |
| S12 | 1 | ("6212160").PN. | US-PGPUB; USPAT | OR | OFF | 2007/03/12 18:38 |

EAST Search History

| | | | | | | |
|-----|------|--|--|----|----|------------------|
| S13 | 6 | ("5425028" "5754552" "5802042" "5870399" "6038603").PN. OR ("6212160").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/12 18:38 |
| S14 | 16 | ("5546584" "5572582" "5768525" "5884032" "6029191" "6058115" "6101545" "6111893" "6137473" "6144991" "6212160" "6587125" "6601094" "6629129" "6668319" "6741610").PN. OR ("6928464").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/13 18:13 |
| S15 | 98 | (multiple and backup) with protocol and protocol.ab. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/12 18:49 |
| S16 | 50 | backup near2 protocol same application | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/12 18:49 |
| S17 | 763 | layer near2 "7" and multiple with protocols | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:24 |
| S18 | 5131 | application near2 (layer level) and (select\$4 default preferred chosen) with protocol | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:24 |
| S19 | 2277 | application near2 (layer level) with protocol and (select\$4 default preferred chosen) with protocol | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:25 |
| S20 | 473 | application near2 (layer level) with protocol and (select\$4 default preferred chosen) with protocol same (backup second\$4 redundancy failover) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:30 |

EAST Search History

| | | | | | | |
|-----|------|---|--|----|----|------------------|
| S21 | 1007 | application near2 (layer level) with protocol and (select\$4 default preferred chosen) with protocol and protocol.ab. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:26 |
| S22 | 336 | application near2 (layer level) with protocol and (select\$4 default preferred chosen) with protocol and protocol.ab. and application.ab. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:27 |
| S23 | 1069 | application near2 (layer level) with protocol and (select\$4 default preferred chosen) with protocol and protocol near4 (plurality plural multiple several) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:27 |
| S24 | 959 | application near2 (layer level) with protocol and (select\$4 default preferred chosen) with protocol and protocol near4 (plurality plural multiple) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:28 |
| S25 | 273 | application near2 (layer level) with protocol and (select\$4 default preferred chosen) with protocol same (backup second\$4 redundancy failover) and protocol near4 (plurality plural multiple multitude) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:28 |
| S26 | 420 | application near2 (layer level) with protocol and (select\$4 choose) with protocol same (backup second\$4 redundancy failover) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:47 |
| S27 | 56 | application near2 (layer level) with protocol same (select\$4 choose) same (backup second\$4 redundancy failover) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:39 |
| S28 | 516 | application near2 (layer level) with protocol same (select\$4 choose) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:39 |

EAST Search History

| | | | | | | |
|-----|------|---|--|----|----|------------------|
| S29 | 259 | application near2 (layer level) with protocol same (select\$4 choose) with protocol | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:43 |
| S30 | 1 | application near2 (layer level) with protocol same (select\$4 choose) with protocol same alternate | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:40 |
| S31 | 2115 | application near3 (select\$4 choose) same (failover backup redundancy secondary) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:44 |
| S32 | 332 | application near3 (select\$4 choose) same (failover backup redundancy secondary) same (send\$4 transmit\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:46 |
| S33 | 596 | application near3 (select\$4 choose) same (ftp http) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:46 |
| S34 | 1000 | application near2 (layer level) with protocol and (select\$4 choose) near3 protocol | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:48 |
| S35 | 9 | application near2 (layer level) with protocol and (select\$4 choose) near3 protocol with attempt\$4 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:49 |
| S36 | 476 | application near2 (layer level) and multiprotocol | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:50 |

EAST Search History

| | | | | | | |
|-----|------|--|--|----|----|------------------|
| S37 | 48 | application near2 (layer level) same multiprotocol | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 17:50 |
| S38 | 197 | application.ab. and select\$4 with (different another) with protocol | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/13 18:14 |
| S39 | 73 | application.ab. and select\$4 with (different another) with protocol and (ftp http) | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/13 18:14 |
| S40 | 94 | application.ab. and select\$4 with (different another alternat\$4) with protocol and (ftp http) | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/13 18:14 |
| S41 | 4683 | select\$4 with (different another alternat\$4) with (protocol method) and (ftp http) | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/13 18:15 |
| S42 | 492 | application.ab. and select\$4 with (different another alternat\$4) with (protocol method) and (ftp http) | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/13 18:16 |
| S43 | 51 | select\$4 with (different another alternat\$4) with (protocol method) same (failed failure timeout) and (ftp http) | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/13 18:30 |
| S44 | 13 | application near2 (layer level) and select\$4 with (alternate secondary another) with (protocol method) with (fail\$4) | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/13 18:32 |
| S45 | 19 | (ftp and http) same download same fail\$4 | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/13 18:35 |
| S46 | 3 | (wap and http) same download same fail\$4 | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/13 18:35 |
| S47 | 46 | (wap http ftp) same select\$4 with protocol same fail\$4 | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/13 18:36 |
| S48 | 4552 | redundan\$ same (multiple plural\$4) same (format protocol) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/08/16 15:42 |

EAST Search History

| | | | | | | |
|-----|-------|---|--|----|----|------------------|
| S49 | 563 | redundan\$ same (multiple plural\$4) near3 (format protocol) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/08/16 15:43 |
| S50 | 298 | redundan\$ same protocol same (multiple plural) same both | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/08/16 15:48 |
| S51 | 201 | redundan\$ same protocol same (multiple plural) same event | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/08/16 15:57 |
| S52 | 4 | redundan\$ same protocol with (multiple plural) with attempt\$ | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/08/16 15:51 |
| S53 | 0 | (09/735529).APP. | USPAT; USOCR | OR | ON | 2007/08/16 15:52 |
| S54 | 5 | ("2001/0034791").URPN. | USPAT | OR | ON | 2007/08/16 15:52 |
| S55 | 30181 | (transmit\$4 transfer\$4 attempt\$4) with (multiple plural\$4 both two) with (protocol format) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/08/16 15:58 |
| S56 | 16756 | (transmit\$4 transfer\$4 attempt\$4) with (multiple plural\$4) with (protocol format) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/08/16 15:58 |
| S57 | 10062 | (transmit\$4 transfer\$4 attempt\$4) with (multiple plural\$4 both two) near3 (protocol format) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/08/16 15:59 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|----|-----|------------------|
| S58 | 153 | (transmit\$4 transfer\$4 attempt\$4) with (multiple plural\$4 both two) near3 (protocol format) same redundan\$ | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2007/08/16 15:59 |
| S59 | 1 | ("5568471").PN. | US-PGPUB; USPAT | OR | OFF | 2007/08/16 16:44 |